L Number	Hits	Search Text	DB	Time stamp
-	2	5757669.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 09:39
-	2	5557320.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 09:43
-	1612	((message mail) near5 (system platform application)) and ((prevent$5 control$5 implement$5 apply$5 limit$5) near5 (overload$5 excess$5 threshold$5)) and (SLA (service adj level adj criteria) class (service adj level) (service adj categor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:39
-	120	((message mail) near5 (system platform application)) and ((prevent$5 control$5 implement$5 apply$5 limit$5) near5 (overload$5 excess$5 threshold$5))same(SLA (service adj level adj criteria) class (service adj level) (service adj categor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:46
-	79	((messag$5 mail$5) near2 (system platform application)) and ((prevent$5 control$5 implement$5 apply$5 limit$5) near5 (overload$5 excess$5 threshold$5))same(SLA (service adj level adj criteria) class (service adj level) (service adj categor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 10:08
-	122	((messag$5 mail) near5 (system platform application)) and ((prevent$5 control$5 implement$5 apply$5 limit$5) near5 (overload$5 excess$5 threshold$5))same(SLA (service adj level adj criteria) class (service adj level) (service adj categor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 10:56
-	1925	(manag$5 monitor$5) near10 (email e-mail messga$5) near10 (system platform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 10:57
-	14048	(manag$5 monitor$5) near10 (email e-mail messag$5) near10 (system platform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 10:58
-	1270	(manag$5 monitor$5) adj (email e-mail messag$5) near10 (system platform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:00
-	117	(manag$5 monitor$5) adj (email e-mail messag$5) adj (system platform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:33
-	11	(overload$5 near15 control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:55
-	1515	(overload$5 limit$5 deny$5 near15 control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:55
-	3604	(overload$5 limit$5 manag$5 monitor$5 near15 control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:56

-	4347	(overload$5 limit$5 manag$5 monitor$5 access$5 near3 control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:56
-	207	((overload$5 manag$5 monitor$5 access$5) adj control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 11:57
-	214	((overload$5 limit$5 manag$5 monitor$5 access$5) adj control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:31
-	3	(overload$5 adj control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:32
-	0	(threshold adj control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:32
-	10	(load adj control$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:34
-	0	(control$5 adj criteria) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:34
-	8	(service adj class$5) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:47
-	1	((overload$5) near2 (controller means limit$5)) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 12:49
-	15	((mailbox) near2 (controller means limit$5)) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:37
-	15	((mailbox) near2 (controller means limit$5 (fill adj level adj threshold))) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:41
-	2	((mailbox) and (fill adj level adj threshold)) same ((email e-mail messag$5) adj (system platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:41
-	0	(mailbox) and (fill adj level adj threshold) and ((refus$5 den$y$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:43
-	188	(mailbox) and (threshold) and ((refus$5 den$y$5 prevent$5 stop$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:29

–	65	(mailbox) and (exceed$5 increas$5 decreas$5 (going adj over)) near5 (threshold) and ((refus$5 den$y$5 prevent$5 stop$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:49
–	0	(mailbox) near5(exceed$5 increas$5 decreas$5 (going adj over)) near5 (threshold) and ((refus$5 den$y$5 prevent$5 stop$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:49
–	0	(mailbox) near5(size) near5 (threshold) and ((refus$5 den$y$5 prevent$5 stop$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:50
–	1	(mailbox) near5 (threshold) and ((refus$5 den$y$5 prevent$5 stop$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:53
–	4	(set$6 establish$5 provid$5 implement$5) near10 (mailbox) near5 (threshold size (fill adj level)) and ((refus$5 den$y$5 prevent$5 stop$5) near5 (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 13:56
–	40	(set$6 establish$5 provid$5 implement$5) near10 (mailbox) near5 (threshold size (fill adj level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:31
–	62	(set$6 establish$5 provid$5 implement$5) near10 (e-mail) near5 (threshold size (fill adj level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:26
–	0	(set$6 establish$5 provid$5 implement$5) near10 (e-mail) near10 (SLA (service adj criteria) (service adj level adj agreement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:27
–	0	(set$6 establish$5 provid$5 implement$5) near10 (mailbox) near10 (SLA (service adj criteria) (service adj level adj agreement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:27
–	0	(mailbox) near10 (SLA (service adj criteria) (service adj level adj agreement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:28
–	5	(email) near10 (SLA (service adj criteria) (service adj level adj agreement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:28
–	0	((refus$5 den$y$5 prevent$5 stop$5) near5 (access)) near10 (mailbox) near5 (exceed$5) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:30
–	0	((refus$5 den$y$5 prevent$5 stop$5 limit$5) near5 (access)) near10 (mailbox) near5 (exceed$5) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:30
–	0	((refus$5 den$y$5 prevent$5 stop$5 limit$5) near5 (access)) near10 (mailbox) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:30

-		0	((refus$5 deny$5 prevent$5 stop$5 limit$5) near5 (access)) near10 (mailbox) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:31
-		72	((refus$5 deny$5 prevent$5 stop$5 limit$5) near5 (access)) near10 (mailbox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 14:31
-		21	709/206,207.ccls. and ((message mail) near5 (system platform application)) and ((prevent$5 control$5 implement$5 apply$5 limit$5) near5 (overload$5 excess$5 threshold$5)) and (SLA (service adj level adj criteria) class (service adj level) (service adj categor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:17
-		3	5948058.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:18
-		2	6052709.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:20
-		2	6072942.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:21
-		2	6092103.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:27
-		7	((monitor$5 manag$5) near10 (subscriber$5) near10 (email mailboxes)) and (overload)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:28
-		1	(set$6 establish$5 provid$5 implement$5) near10 (subscriber$5) near10 (email mailboxes) near5 (threshold size (fill adj level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:32
-		1	(chang$5) near10 (subscriber$5) near10 (email mailboxes) near5 (threshold size (fill adj level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:33
-		8	(chang$5)near10 (email mailboxes) near5 (threshold size (fill adj level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:42
-		1	(chang$5)near10 (email mailboxes) near5 (threshold) near5 (fill adj level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:43
-		2	(email mailboxes) near5 (threshold) near5 (fill adj level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:43
-		2	(email mailboxes) near5 (fill adj level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:43

-	33359	(manag$5 monitor$5 control$6) near10 (message mail email mailbox) near5 (system platform application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:45
-	3507	(manag$5 monitor$5 control$6)adj (message mail email mailbox) near5 (system platform application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:45
-	262	(manag$5 monitor$5 control$6)adj (message mail email mailbox) adj (system platform application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:46
-	54	((manag$5 monitor$5 control$6)adj (message mail email mailbox) near5 (system platform application)) and (overload$5 excess$5 threshold$5)same(SLA (service adj level adj criteria) class (service adj level) (service adj categor$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:57
-	0	(protect$5 sav$6) near5 (email) near5 (overload flood)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:58
-	20	(email) near5 (overload flood)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:02
-	0	(email) near5 (overload flood) near10 (control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:03
-	70	(email) near5 (overload access) near10 (control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:09
-	97	(control) near10 (email) near5 (overload access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:09
-	0	(control) near10 (email) near5 (overload)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:09
-	97	(control) near10 (email) near5 (access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:09
-	0	(control) near10 (email) near5 (access) near10 (based) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:10
-	2	(control) near10 (email) near5 (access) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:11
-	8	(email) near5 (access) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:11

-	0	(email) near5 (subscript$6) near10 (threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:12
-	5	(email) near5 (subscript$6) near10 (level criteria rule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:12
-	51	(email) near5 (subscript$6 servic$5) near10 (level criteria rule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:13
-	75	(email) near5 (subscript$6 servic$5) near10 (level criteria rule class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:20
-	9428	((service subscri$7) near10 (class$5 cetegor$6 level$5 part$5)) same (fill threshold limit frequency occurance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:22
-	425	(mailbox email e-mail voicemail) and (((service subscri$7) adj (class$5 categor$6 level$5 part$5)) same (fill threshold limit frequency occurance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:24
-	41	(mailbox email e-mail voicemail) same (((service subscri$7) adj (class$5 categor$6 level$5 part$5)) same (fill threshold limit frequency occurance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:24